



# PAVIA

## GRANITE TILE

Manufactured By  **CONCORD**



## CATALOGUE

NEW COLLECTION

# 2025

 **PT CONCORD INDUSTRY**



RECTIFIED



PRECISION




DURABLE




EASY TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**CASSIA DARK BROWN**

**HIGH GLOSSY**



Random Design | 4 faces



RECTIFIED



PRECISION





DURABLE




EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**KALMIA BLACK**

**BLACK HIGH GLOSSY**



Connecting Design | 4 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION





DURABLE




EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**PEARL BLACK**  
**BLACK HIGH GLOSSY**



1 FACE SYNCRONISE



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION





DURABLE




EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**SALVIA BLACK**  
**BLACK HIGH GLOSSY**



**1 FACE SYNCRONISE**



RECTIFIED



PRECISION



DURABLE



EASY TO CLEAN

60x60

DIGITAL HD  
PRINTING



CALYTA GOLD

POLISHED GLAZE



1 FACE SYNCRONISE



PT CONCORD INDUSTRY



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**CLOUD WHITE**

**POLISHED GLAZE**



1 FACE SYNCRONISE



RECTIFIED



PRECISION



DURABLE




EASY TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**FERRARA CREMA**

**POLISHED GLAZE**



Random Design | 6 faces



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**GUIDONIA BIANCO**

**POLISHED GLAZE**



Connecting Design | 4 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION




DURABLE




EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**INZIO BIANCO**

**POLISHED GLAZE**



Random Design | 4 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION



DURABLE



EASY TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**IVY BIANCO**

**POLISHED GLAZE**



**1 FACE SYNCRONISE**



RECTIFIED



PRECISION




DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**JOVANCA BIANCO**  
**POLISHED GLAZE**



Random Design | 4 faces



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**MARI GOLD**

**POLISHED GLAZE**



**1 FACE SYNCRONISE**



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**OLBIA BIANCO**

**POLISHED GLAZE**



Random Design | 4 faces



RECTIFIED



PRECISION



DURABLE




EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**ORO GRIGIO**

**POLISHED GLAZE**



Random Design | 6 faces



RECTIFIED



PRECISION




DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**PALERMO CREMA**

**POLISHED GLAZE**



Random Design | 6 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN


60x60

DIGITAL HD  
PRINTING




**PORTICIA GRIGIO**

POLISHED GLAZE



**PORTICIA NERO**

POLISHED GLAZE



Random Design | 4 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**POSITANO GRIGIO**

**POLISHED GLAZE**



Random Design | 6 faces



RECTIFIED



PRECISION




DURABLE



EASY  
TO CLEAN

60x60


DIGITAL HD  
PRINTING



PRATO BIANCO

POLISHED GLAZE

V2



Random Design | 4 faces



PT CONCORD INDUSTRY



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60

DIGITAL HD  
PRINTING



RAVENA BLU

POLISHED GLAZE



Connecting Design | 4 faces



PT CONCORD INDUSTRY



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**RIMINI SCURO GRIGIO**

**POLISHED GLAZE**



Random Design | 6 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**SIENA CREMA**

**POLISHED GLAZE**



Random Design | 6 faces



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**VALLO BIANCO**

**POLISHED GLAZE**



Random Design | 4 faces



RECTIFIED



PRECISION




DURABLE




EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**VITERBO BIANCO**

**POLISHED GLAZE**



Random Design | 6 faces



**PT CONCORD INDUSTRY**



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60 **DIGITAL HD**  
PRINTING



**ZOLA BIANCO**

**POLISHED GLAZE**



Random Design | 4 faces



RECTIFIED



PRECISION



DURABLE



EASY TO CLEAN

60x60

DIGITAL HD  
PRINTING



PERUGIA CREMA

ANTI SLIP



Random Design | 4 faces



PT CONCORD INDUSTRY



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60

DIGITAL HD  
PRINTING



V1



R

R9

SANREMO CREMA

**MATTE**

SINGLE FACE



V1



R

R9

SANREMO GRIGIO

**MATTE**

SINGLE FACE



V1



R

R9

SANREMO NERO

**MATTE**

SINGLE FACE



PT CONCORD INDUSTRY



RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

60x60

DIGITAL HD  
PRINTING



TETTONA BRUNO

MATTE



TETTONA CREMA

MATTE



Random Design | 4 faces



PT CONCORD INDUSTRY

| DESCRIPTION                       | METHOD       | STANDAR ISO/SNI 13006:2018              | CONCORD VALUES CLASS Bla |
|-----------------------------------|--------------|-----------------------------------------|--------------------------|
|                                   |              | REQUIREMENT                             | POLISH GRANITE TILE      |
| Dimension (Length and width)      | ISO 10545-2  | ± 0,3 %                                 | ± 0,1%                   |
| Thickness                         | ISO 10545-2  | ± 5 %                                   | ± 3 %                    |
| Straightness of side              | ISO 10545-2  | ± 0,3 %                                 | ± 0,1 %                  |
| Rectangularity                    | ISO 10545-2  | ± 0,3 %                                 | ± 0,2 %                  |
| Center Curvature & Edge Curvature | ISO 10545-2  | ± 0,4 %                                 | ± 0,1 %                  |
| Warepage                          | ISO 10545-2  | ± 0,4 %                                 | ± 0,2 %                  |
| Water Absorption                  | ISO 10545-3  | Ev ≤ 0,5%                               | Ev ≤ 0,3%                |
| Breaking Strength                 | ISO 10545-4  | ≥ 1300 N                                | ≥ 1400 N                 |
| Modulus of Rupture                | ISO 10545-4  | Min 35 N/mm <sup>2</sup>                | ≥ 36 N/mm <sup>2</sup>   |
| Abrasion Resistance               | ISO 10545-7  | Report abrasion class and cycles passed | Class 3                  |
| Crazing Resistance                | ISO 10545-11 | Required                                |                          |
| Frost Resistance                  | ISO 10545-12 | Not Required                            |                          |
| Acid/Alkali Resistance            | ISO 10545-13 | Test method available                   | Class LB                 |
| Household and swimming pool salt  | ISO 10545-13 | Minimum Class B                         | Class A                  |
| Resistance to Staining            | ISO 10545-14 | Minimum class 3                         | Class 4                  |

### STANDARD PACKING INFORMATION

| SIZE    | CLASS | PIECES / BOX | SQM/BOX            | WEIGHT / BOX ( KG ) | WEIGHT / PALLET ( KG ) | QTY BOX / PALLET | INFORMATION |
|---------|-------|--------------|--------------------|---------------------|------------------------|------------------|-------------|
| 60 x 60 | B I a | 4            | 1,44m <sup>2</sup> | 25,70               | 1.030                  | 40               | Floor Tile  |

| SIZE     | CLASS | PIECES / BOX | SQM/BOX            | WEIGHT / BOX ( KG ) | WEIGHT / PALLET ( KG ) | QTY BOX / PALLET | INFORMATION       |
|----------|-------|--------------|--------------------|---------------------|------------------------|------------------|-------------------|
| 60 x 120 | B I a | 2            | 1,44m <sup>2</sup> | 28,80               | 1.856                  | 64               | Floor & Wall Tile |

| SIZE     | CLASS | PIECES / BOX | SQM/BOX            | WEIGHT / BOX ( KG ) | WEIGHT / PALLET ( KG ) | QTY BOX / PALLET | INFORMATION       |
|----------|-------|--------------|--------------------|---------------------|------------------------|------------------|-------------------|
| 60 x 120 | B I a | 2            | 1,44m <sup>2</sup> | 28,80               | 1.100                  | 38               | Floor & Wall Tile |



Glossy



Matte



Matte Granilla



Matte Embossed



Matte Rock Ink



Ramp 9/  
Matte  
Rock Ink



Ramp 11/  
Antislip  
Matte



Rectified

V1



**Uniform Appearance**  
Tiles have uniform shade and texture with low, minimal variation.

V3



**Moderate Variation**  
Tiles have moderate variation in shade and texture.

V2



**Slight Variation**  
Tiles have slight variation in shade and texture.

V4




**Random Variation**  
Tiles have random and substantial variation in shade and texture such that any piece of tile may be totally different in shade to another tile.





60x120

COLLECTION





RECTIFIED



PRECISION





DURABLE



EASY  
TO CLEAN

DIGITAL HD  
PRINTING

60x120



AZALEA GRIGIO  
POLISHED GLAZE

Random Design | 4 faces

 PT CONCORD INDUSTRY



RECTIFIED



PRECISION




DURABLE



EASY  
TO CLEAN

DIGITAL HD  
PRINTING

60x120



FILLEA GOLD

POLISHED GLAZE



1 FACE SYNCRONISE

V1





RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

DIGITAL HD  
PRINTING

60x120



V2



PARMA WHITE

POLISHED GLAZE

Random Design | 3 faces

 PT CONCORD INDUSTRY



RECTIFIED



PRECISION




DURABLE




EASY  
TO CLEAN

DIGITAL HD  
PRINTING

60x120



**PRATO BIANCO**  
POLISHED GLAZE



Random Design | 2 faces





RECTIFIED



PRECISION



DURABLE



EASY  
TO CLEAN

DIGITAL HD  
PRINTING

60x120



PRIMEROSE GOLD

POLISHED GLAZE



1 FACE SYNCHRONISE

V1



| DESCRIPTION                       | METHOD       | STANDAR ISO/SNI 13006:2018              | CONCORD VALUES CLASS Bla |
|-----------------------------------|--------------|-----------------------------------------|--------------------------|
|                                   |              | REQUIREMENT                             | POLISH GRANITE TILE      |
| Dimension (Length and width)      | ISO 10545-2  | ± 0,3 %                                 | ± 0,1%                   |
| Thickness                         | ISO 10545-2  | ± 5 %                                   | ± 3 %                    |
| Straightness of side              | ISO 10545-2  | ± 0,3 %                                 | ± 0,1 %                  |
| Rectangularity                    | ISO 10545-2  | ± 0,3 %                                 | ± 0,2 %                  |
| Center Curvature & Edge Curvature | ISO 10545-2  | ± 0,4 %                                 | ± 0,1 %                  |
| Warepage                          | ISO 10545-2  | ± 0,4 %                                 | ± 0,2 %                  |
| Water Absorption                  | ISO 10545-3  | Ev ≤ 0,5%                               | Ev ≤ 0,3%                |
| Breaking Strangth                 | ISO 10545-4  | ≥ 1300 N                                | ≥ 1400 N                 |
| Modulus of Rupture                | ISO 10545-4  | Min 35 N/mm <sup>2</sup>                | ≥ 36 N/mm <sup>2</sup>   |
| Abrasion Resistance               | ISO 10545-7  | Report abrasion class and cycles passed | Class 3                  |
| Crazyng Resistance                | ISO 10545-11 | Required                                |                          |
| Frost Resistance                  | ISO 10545-12 | Not Required                            |                          |
| Acid/Alkali Resistance            | ISO 10545-13 | Test method available                   | Class LB                 |
| Household and swimming pool salt  | ISO 10545-13 | Minimum Class B                         | Class A                  |
| Resistance to Staining            | ISO 10545-14 | Minimum class 3                         | Class 4                  |

### STANDARD PACKING INFORMATION

| SIZE    | CLASS | PIECES / BOX | SQM/BOX            | WEIGHT / BOX ( KG ) | WEIGHT / PALLET ( KG ) | QTY BOX / PALLET | INFORMATION |
|---------|-------|--------------|--------------------|---------------------|------------------------|------------------|-------------|
| 60 x 60 | B I a | 4            | 1,44m <sup>2</sup> | 25,70               | 1.030                  | 40               | Floor Tile  |

| SIZE     | CLASS | PIECES / BOX | SQM/BOX            | WEIGHT / BOX ( KG ) | WEIGHT / PALLET ( KG ) | QTY BOX / PALLET | INFORMATION       |
|----------|-------|--------------|--------------------|---------------------|------------------------|------------------|-------------------|
| 60 x 120 | B I a | 2            | 1,44m <sup>2</sup> | 28,80               | 1.856                  | 64               | Floor & Wall Tile |

| SIZE     | CLASS | PIECES / BOX | SQM/BOX            | WEIGHT / BOX ( KG ) | WEIGHT / PALLET ( KG ) | QTY BOX / PALLET | INFORMATION       |
|----------|-------|--------------|--------------------|---------------------|------------------------|------------------|-------------------|
| 60 x 120 | B I a | 2            | 1,44m <sup>2</sup> | 28,80               | 1.100                  | 38               | Floor & Wall Tile |



Glossy



Matte



Matte Granilla



Matte Embossed



Matte Rock Ink



Ramp 9/  
Matte Rock Ink



Ramp 11/  
Antislip Matte



Rectified

V1



**Uniform Appearance**  
Tiles have uniform shade and texture with low, minimal variation.

V3



**Moderate Variation**  
Tiles have moderate variation in shade and texture.

V2



**Slight Variation**  
Tiles have slight variation in shade and texture.

V4



**Random Variation**  
Tiles have random and substantial variation in shade and texture such that any piece of tile may be totally different in shade to another tile.

